



T 5 S - R 1 W 2nd Mer.

Meandering 148



T 6 S - R 1 W. 2nd Mer.

Meandering 160



Township N. 5 South, Range N. 1 W. 2nd Meridian

125

North Boundary var. 6. 30' E
East Between Townships 4 & 5 S. Range 1 West
40.00 Set a half mile post from which
a Beech 15 in. dia. bears N 4 W 11 krs. dist. 7 1/2
a Sugar tree 8 " " " S 82 W 7 " "
40.50 a Branch 4 krs wide Cr. S. E.
43.50 Oil Creek 90 krs. wide runs South to deep and
but little fall.
75.50 a White Oak 15 in. dia.
80.00 Set a mile post with One notch from which
a W. Oak 5 in. dia. bears S 72 E 11 krs. dist. 7 1/2
a Do 4 " " " N 72 W 10 " "
Land this mile generally hilly, on the Creek
there is some good bottom, timber Oak, Poplar, beech,
and some Sugar tree.

East 2nd mile between Towns 4 & 5 S. Range 1 W
22.00 a Beech 12 in. dia.
40.00 Set a half mile post, from which
a Chestnut Oak 9 in. dia. bears N 2 1/2 W 38 krs. dist. 7 1/2
a White Oak 11 " " " S 2 1/2 E 6 " "
80.00 Set a mile post ~~East~~ with 2 notches from which
a W. Oak 5 in. dia. bears S 60 E 7 krs. dist. 7 1/2
a Blk. Oak 36 " " " N 68 W 7 " "
This mile land hilly & poor timber Oak &c
July 20th 1805

East 3rd mile between Towns 4 & 5 S. Range 1 W
38.00 a W. Oak 12 in. dia.
40.00 Set a half mile post, from which
a W. Oak 14 in. dia. bears S 8 E 28 krs. dist. 7 1/2
a Do 10 " " " N 25 W 16 " "
71.50 a Blk. Oak 30 in. dia.
80.00 Set a mile post with 3 notches, from which
a Blk. Elm 12 in. dia. bears N 15 W 37 krs. dist. 7 1/2
a Do 14 " " " S 2 E 16 " "

S L R 19th 2^d Mer. Indiana

This mile land lies well for cultivation & of very good quality, timber B. Oak, W. Oak, Gum & Ash.

East 4th Mile between Towns 4 & 5 S. Range 1st W

30.00 a W. Oak 15 in. diam.

40.00 Set a half mile post, from which a Beech 9 in. diam. bears S 74th W 10 lks. dist. & a W. Oak 12 in. diam. bears N 74th E 12 lks. dist.

43.50 a Branch 4 lks. wide Course S. E.

60.00 a Do 5 " " " N. E.

65.00 an Ash 15 in. diam.

70.50 a Branch 5 lks. wide C. S. E.

73.00 a Do 10 " " " S. E.

80.00 Set a mile post with 4 notches, from which a Red Oak 30 in. diam. bears N 38th W 36 lks. dist. & a Sugar 12 in. diam. br. S 9th E 19 lks. This mile generally good hilly, some good bottom on the branches timber Oak, Ash, Beech & Angustree.

East 5th Mile between Towns 4 & 5 S. Range 1st W

16.00 a Beech 12 in. diam.

17.50 a Branch 12 lks. wide runs S. W.

35.43 a Blk. Oak 36 in. diam.

40.00 Set a half mile post, from which a Beech 14 in. diam. bears N 45th W 20 lks. dist. & a Do 10 in. diam. bears S 5th E 12 lks. dist. &c.

47.75 a Beech 8 in. diam.

80.00 Set a mile post with 5 notches, from which a Beech 15 in. diam. bears N 3th E 18 lks. dist. & a B. Gum 12 in. diam. bears S 3th W 7 lks. dist.

Land on this mile broken with deep stony hollows, stony soil, timber Beech, Gum, Oak &c.

East 6th Mile between Towns 4 & 5 S. Range 1st W

32.00 a White Oak 10 Inches Diam.

40.00 Set a half mile post, from which a Beech 10 in. diam. bears S 61th W 19 lks. dist. & an Ash 12 in. diam. bears S 89th E 11 lks. distant

45.50 a branch 6 lks. wide runs S. E.

49.00 to cliffs of the Ohio steep & Rocky

56.00 Set a post on the bank of the Ohio river Cor. to Township 5 S. of the Base line, Range 1st W. 2^d Mer. where a Angustree 9 in. diam. bears S 41th W 10 lks. dist. & a Do. 5 in. diam. bears N 2th E 35 lks.

This 56.00 chain, land broken with hollows & cliffs, on top of river-hill, some rich land Oak, Beech & Angustree
 surveyed by William Bector A. S.

T. No 5. S. No. No 1. W. 2nd Mer.East Boundary

North Between Sec. 12. T. 5. S. No. 1. W. & Sec. 7. T. 5. S. No. 1. E.
 7. 00 A Poplar 24 in. diam.
 22. 94 W. Oak 12 in. diam.
 31. 00 To top of River hill - high ledge of rocks.
 40. 00 Put Quarter Sec. post near River a Sugar tree 18 in. diam. bears S. 51. E. 13 links. A Beech 14 in. diam. bears N. 24. E. 25 links. This corner stands on Bank of the Ohio. - this half mile to River good hill land - timber Oak Beech & Poplar..

South Between Sec. 13. T. 5. S. No. 1. W. & Sec. 18. T. 5. S. No. 1. E.
 11. 80 Poplar 22 in. diam.
 21. 50 Brook 5 links wide Course W.
 36. 34 W. Oak 16 in. diam.
 40. 00 Put Quarter Sec. post. A Beech 12 in. diam. bears N. 86. E. 22 links a W. Oak 14 in. diam. N. 72. W. 33 links.
 64. 50 B. Oak 30 in. diam.
 81. 00 Intersects E. & W. line 6 links E. of post Put post Corner of Sec. 13. & 24. T. 5. S. No. 1. W. & Sec. 18. & 19. T. 5. S. No. 1. E. a Beech 12 in. diam. bears N. 46. W. 10 links Sugar 14 in. diam. bears S. 17. W. 24 links. This mile level upland. middling Soil - timber W. & B. Oak & Beech.

South Between Sec. 24. T. 5. S. No. 1. W. & 19. T. 5. S. No. 1. E.
 3. 56 Poplar 40 in. diam.
 40. 00 Hickory 20 in. diam. for Quarter Sec. Corner.
 53 45 Hickory 30 in. diam.
 79. 68 Fell 6 links west of temporary post. Put post Corner of Sec. 24. & 25. - T. 5. S. No. 1. W. & Sec. 19. & 30. T. 5. S. No. 1. E. from which a B. Oak 18 in. diam. N. 27. E. 19 links. Beech 12 in. diam. S. 25. E. 48 links. This mile moderate hills - timber W. & B. Oak. Some Beech & Poplar.
 Sept. 16. 1866.

South Between Sec. 25. T. 5. S. No. 1. W. & Sec. 30. T. 5. S. No. 1. E.

J. No 5. G. No. 1. M. 2nd Mer.

9. 37 Sugar tree 10 in^s diam^r
 46. 00 Put Quarter Sec post where a Beech 24 in^s diam^r
 bears G. 51. E. 29. links Sugar 12 in^s diam^r N. 24. W. 32
 54 57 Beech 30 in^s diam^r
 58. 27 Put post on Bank of the Ohio. where a Beech 18 in^s
 diam^r bears G. 75. N. 48 links. Do. 14 in^s diam^r bears
 G. 77. E. 19. links This distance first half mile.
 Beech & W. Oak timbered & ridges last part good bottom
 Timber Beech Sugar tree &c. Sept 17. 1805

South Boundary.

- East Between Sec^s 31. J. 5 G. No. 1. M. & Sec. 6. J. 6 G. No. 1. M.
 1 95 Gum 12 in^s diam^r
 40. 00 Put Quarter Sec. post where a Sugar tree 10 in^s
 diam^r G. 35. N. 12 links a W. Oak 10 in^s diam^r
 bears N. 48. E. 15 links.
 41. 50 Run 6 links wide. Course G. N.
 79. 80 Intersects A. & G. line 12 links G. of temporary post.
 put post corner of Sec^s 31. & 32. J. 5. G. No. 1. M.
 & Sec^s 5. & 6. J. 6. G. No. 1. M. where a W. Oak 18
 in^s diam^r bears N. 26. W. 42. links. a B. Oak 24 in^s
 diam^r bears G. 50. N. 65. This mile N. & B. Oak
 timbered & ridges - mellowing Soil. Some Hickory

- East Between Sec^s 32 J. 5. G. No. 1. M. & Sec. 5. J. 6. G. No. 1. M.
 33. 00 Run 10 links wide, Course N. E
 40. 00 Put Quarter Sec. post where a Gum 10 in^s diam^r
 bears G. 39. N. 19 links a B. Oak 10 in^s diam^r bears
 N. 8. E. 37. links.
 79. 80 Intersects A. & G. line 55 links G. of temporary post.
 Put post corner to Sec^s 32. & 33. J. 5. G. No. 1. M.
 & Sec^s 4. & 5. J. 6. G. No. 1. M. where a W. Oak 10
 in^s diam^r bears N. 23. E. 18. links a B. Oak 20
 in^s diam^r bears G. 12. N. 40. links. This mile
 low ridges poor soil. timber. W. & B. Oak Hickory &c.

T. No 5. G. R. No 1. W. 2nd Mer.

East	Between Sec 33. T. 5. G. R. 1. W. 2 nd Mer. 4. T. 6. G. R. 1. W.
7. 53	W. Oak 20 in? diam?
15. 00	Run 16 links wide Course. S. 20. E.
33. 00	Put post on Bank of the Ohio where a Sugar tree 8 in? diam? bears S. 6. E. 10. links. A Beech 14 in? diam? bears N. 7. E. 44. links. This distance midling soil Timber Beech some W. & B. Oak.
For the W. boundaries of this Township - See the W. Township	
Sub-divisions	
South	Between Sec. 1 & 2. T. 5. G. R. 1. W.
7. 08	W. Oak 30 in? diam?
29. 94	W. Oak 18 in? diam?
35. 18	Beech 12 in? diam?
40. 00	Quarter Sec. post - a Beech 14 in? diam? bears N. 79. W. 37. links. A Beech 12 in? diam? bears N. 55. E. 24. links
44. 16	Beech 24 in? diam?
67. 35	W. Oak 14 in? diam?
80. 00	Put temporary Corner Sec post. This mile stoney ridges. Timber Beech. Oak & Poplar.
South	Between Sec. 2 & 3. T. 5. G. R. 1. W.
8. 00	Brook 20 links wide Course E.
14. 25	Beech 14 in? diam?
24. 25	Poplar 36 in? diam?
29. 70	High Ridge of Rocks
40. 00	Quarter Sec. post. A B. Oak 24 in? diam? S. 27. E. 30 links. A Beech 12 in? diam? bears S. 78. W. 20 links
49. 20	W. Oak 20 in? diam?
66. 45	Beech 28 in? diam?
69. 50	Brook 8 links wide Course E.
80. 00	Put temporary post This mile Beech. Oak. Poplar. & Sugar tree. timber of hills. very rocky & stoney. Sept. 9. 1805.
South	Between Sec. 3 & 4. T. 5. G. R. 1. W.
12. 96	Run 14 in? diam?
40. 00	Quarter Sec. A W. Oak 12 in? diam? bears N. 73. W. 6

T. No. 5. S. B. No. 1. W. 2nd Mer.

	a W. Oak 16 in? diam? S. 39. E. 15 links.
44. 95	W. Oak 12 in? diam?
80. 00	Put Temporary post. This mile pretty level Oak timbered ridge. Some Gum. Birch Poplar Dogwood &c.
South	Between Secs 4 & 5. T. 5. S. B. 1. W.
4. 04	B. Oak 15 in? diam?
18. 72	W. Oak 24 in? diam?
34. 42	W. Oak 15 in? diam?
40. 00	Quarter Sec. 4 & 5. Oak. 12 in? diam? bears N. 15. E. 10 links. A W. Oak 10 in? diam? bears S. 10. W. 60 links
52. 58	Birch 14 in? diam?
58. 50	High ledge of Rocks.
80. 00	Put Temporary post. This mile first half pretty level last half poor rocky hills - all poor - Generally Oak timbered Sept. 10 th . 18. 05.
South	Between Secs 5 & 6. T. 5. S. B. 1. W.
13. 35	Sugar tree 12 in? diam?
27. 42	W. Oak 16 in? diam?
40. 00	Quarter Sec. post 4 W. Oak 16 in? diam? N. 32. E. 30 links A W. Oak 18 in? diam? S. 05. E. 30 links
42. 73	W. Oak 16 in? diam?
58. 00	Oil Creek Course S. 30. E.
63. 50	Across Creek.
75. 78	B. Oak 28 in? diam?
80. 00	Put Temporary post. This mile first half poor stony ridge - last half generally good some bottom. Timber Birch. Sugar. Oak. &c.
East	Between Secs 6 & 7. T. 5. S. B. 1. W.
10. 00	Brook 16 links wide course N. W.
12. 40	Sugar tree 12 in? diam?
20. 00	Leaves the Brook Course N. E.
32. 70	B. Oak 24 in? diam?
40. 00	Quarter Sec post 6 Birch 12 in? diam? N. 20. W. 31.

T. No 5. S. Co. No 1 W. 2nd Mer.

	links. Sugar tree 12 in? diam? S. 59. W. 7. links.
61. 18	W. Oak 12 in? diam?
67. 04	Sugar tree 18 in? diam?
79. 20	Intersects N. & S. line 126 links S. of temporary post Put Post Corner of Sec? 5. 6. 7. 8. T. 5. S. Co. 1. W. A W. Oak 24 in? diam? bears N. 39. E. 36. links. A W. Oak 28 in? diam? bears S. 15. W. 30 links. This mile good tang timber. Birch. Sugar. Ash. Oak much Spice & some Dogwood.
East	Between Sec? 5 & 8. T. 5. S. Co. 1. W.
7. 92	W. Oak 18 in? diam?
20. 00	Cil Creek 130 links wide Course S. 30. E.
27. 28	B. Walnut. 18 in? diam?
40. 00	Put Quarter Sec. post. A W. Oak 16 in? diam? bears N. 84. W. 24 links. A W. Oak 12 in? diam? S. 30. E. 9. links.
58. 13	W. Oak 16 in? diam?
67. 25	W. Oak 18 in? diam?
79. 20	Intersects N. & S. line 120 links S. of temporary post Put Corner of Sec? 4. 5. 8. 9. T. 5. S. Co. 1. W. A Birch 15 in? diam? bears S. 10. E. 25 links. A W. Oak 16 in? diam? bears N. 76. W. 19 links. This mile from the Creek poor rocky hills some Gum timber.
South	Between Sec? 8. & 9. T. 5. S. Co. 1. W.
5. 75	B. Walnut 18 in? diam?
11. 75	Brook 8 links wide Course NW.
15. 62	W. Oak 14. in? diam?
36. 43	Sugar tree 14 in? diam?
40. 00	Put Quarter Sec. post. A W. Oak 16 in? diam? S. 66. E. 15. links. A W. Oak 20 in? diam? N. 30. W. 38 links.
62. 48	W. Oak 15 in? diam?
80. 00	Put Temporary post. This mile first half poor hills last half good soil. descends S. timber Oak. Sugar. & Dogwood.
South	Between Sec? 7. & 8. T. 5. S. Co. 1. W.
11. 46	W. Walnut 18 in? diam?

T. No 5. G. Co. No 1. W. 2nd Mer.

27 15	Gum 16 in? diam?
30. 16	Poplar 30 in? diam?
35 75	Brook 8 links wide, Course . E.
40. 00	Put quarter Sec post. a W. Oak 16 in? diam? N. 60 W. 9. links. Sugar 12 in? diam? S. 49. E. 56. links
45. 36	Poplar 16 in? diam?
63. 20	W. Oak 24 in? diam?
80. 00	Put temporary post. This mile hilly & Stony - thin Soil. Timber. Oak. some poplar. & Sugar. Dogwood Ypice & Oak brush.

East	Between Sec? 7. & 18. T. 5. G. Co. 1. M.
17. 50	W. Oak 12 in? diam?
27. 62	W. Oak 16 in? diam?
40. 00	Put Quarter Sec. Corner. a W. Oak 16 in? diam? bears N. 75. E. 28 links. a W. Oak 12 in? diam? S. 70. W. 7. links
51. 94	W. Oak 14 in? diam?
59. 00	W. Oak 14. in? diam?
67. 17	Hickory 18 in? diam?
79. 00	Intersects N. & S. line 42 links N. of post. put Corner to Sec? 7. 8. 17. 18. T. 5. G. Co. 1. M. a W. Oak 28 in? diam? N. 60. E. 32. links. a B. Oak 12 in? diam? bears S. 5. W. 31. links. This mile the poorest kind of rocky. Oak timbered hills

East	Between Sec? 8. & 17. T. 5. G. Co. 1. M.
8. 60	W. Oak 18 in? diam?
28. 16	Sugar tree 12 in? diam?
34 14	Sugar tree 12 in? diam?
36. 75	Old Creek 150 links wide Course S. Dead water.
40. 00	Quarter Sec Corner a Sycamore 30 in? diam? N. 2 W. 44. links. Maple 10 in? diam? S. 18. E. 40. links
44. 75	Beech 16 in? diam?
54. 30	W. Oak 16 in? diam?
79. 10	Intersects N. & S. line 50 links N. of Temporary posts put Post Corner of Sec? 8. 9. 16. 17. T. 5. G.

J. No. 5. S. E. No. 1 W 2nd Mer

R. 1. W. A W Oak 12 in? diam? bears N. 54. W. 12 links
 a W. Oak 15 in? diam? bears S. 73. E. 22 links
 This mile west of Creek broken & Stony. E. of Creek
 good Oak timbered land. Dogwood.

South	Between Sec? 16. & 17. T. 5 S. R. 1. W.
5. 38	W. Oak 20 in? diam?
20. 74	Beech 12 in? diam?
32. 25	Creek 20 links wide Course S. W.
40. 00	Put Quarter Sec. Corner. a W. Oak 12 in? diam? S. 63. W. 32. links. a Gum 16 in? diam? bears N. 55. E. 28.
41. 20	W. Oak 24. in? diam?
49. 04	W. Oak 24 in? diam?
61. 00	Oil Creek 150 links wide Course S. E.
68. 00	Same Creek Course e. 1. W.
75. 00	Lower Creek from e. 1. W?
77. 46	Gumtree 15 in? diam?
80. 00	Put Temporary post. This mile ridge land. good Soil Timber mostly Oak. Dogwood some Gumtree. Sept 11 th 1855

East	Between Sec? 18. & 19. T. 5. S. R. 1. W.
14. 30	W. Oak 24 in? diam?
25. 62	W. Oak 18 in? diam?
38. 12	W. Oak 16 in? diam?
40. 00	Quarter Sec post a W. Oak 12 in? diam? bears N. 75 W. 42. links a W. Oak 12 in? diam? bears S. 48. E. 13 links
41. 75	W. Oak 24 in? diam?
57. 80	W. Oak 26 in? diam?
78. 50	Creek 20 links wide Course N. E.
79. 30	W. Oak 30 in? diam?
80. 00	Put Temporary post This mile over spur dividing ridges. Timber. Gum & W. Oak. Some Chestnut Oak.

South	Between Sec? 17. & 18. T. 5. S. R. 1. W.
8. 92	W. Oak 24 in? diam?
26. 00	W. Oak 22 in? diam?
38. 12	W. Oak 30. in? diam?

T. S. I. R. No 1. W. 2nd Mer.

40. 00	Quarter Sec Post a W. Oak 12 in? diam? I. 59. E. 22. link. a W. Oak 15 in? diam? N. 37. W. 12. links
49. 14	a B. Oak 15 in? diam?
54. 25	Brook 50 links wide Course I. 70. E. dead water.
61. 35	Hickory 24 in? diam?
80. 50	Intersects E. & W. line 150 links W. of Temporary post Put Corner of Sec? 17. 18. 19. 20. T. S. I. R. 1. W. a Sugar tree 12 in? diam? bears N. 5. E. 20. links. Sugar tree 10 in? diam? bears I. 77. W. 43. links This mile first half poor stony ridge. last half good land Timber - Oak Hickory - Sugar & Spice & Logwood bush - This corner stands on N. Bank of Brook
East	Between Sec? 17. & 20. T. S. I. R. No 1 W.
4. 32	B. Oak 16 in? diam?
36. 00	B. Oak 12 in? diam?
40. 00	Put Quarter Sec. post. a B. Oak 14 in? diam? bears I. 6. W. 15. links. a W. Oak 12 in? diam? N. 49. E. 26. links
54. 04	Sugar tree 12 in? diam?
79. 50	Intersects N. & I. line 90. I. of Temporary post. Put Post Corner of Sec? 16. 17. 20. 21. T. S. I. R. 1. W. a W. Oak 16 in? diam? I. 86. W. 29. links. a W. Oak 16 in? diam? bears N. 3. 3 1/2 E. 53. This mile on N. side of open ridge W. Oak timbered ridge. poor stony soil. Logwood. &c.
South	Between Sec? 20. & 21 T. S. I. R. 1. W. 2 nd Mer
7. 32	Sugar tree 12 in? diam?
15. 00	Brook 15 links wide Course E.
27. 27	W. Oak 30 in? diam?
	Put Quarter Sec. Post a W. Oak 18 in? diam? bears N. 73. W. 24 links a W. Oak 22 in? diam? I. 88. E. 18. links
50. 65	B. Oak 16 in? diam?
80. 00	Put Temporary post. This mile poor barren grassy hills much flint stone. Shrub Oaks.

J. 5. G. R. No. 1. W. 2nd Mer.

South	Between Secs 19. & 20. J. 5. G. R. 1. W.
1. 25	Brook 15 links wide course N. E.
11. 15	W. Oak 12 in? diam.
22. 52	W. Oak - in? diam.
36. 54	B. Oak 14 in? diam.
40. 00	Quarter Sec. post a Hickory 12 in? diam. N. 52. W. 48 links. A dead W. Oak 30 in? A. 35. E. 30 links This corner in brushy thicket
48. 95	W. Oak 15 in? diam.
55. 66	W. Oak 14 in? diam.
70. 00	Drain Course E.
80. 00	Put temporary post. This mile poor stoney Oak timbered ridges. much Oak & Hickory brush.
East	Between Secs 19. & 30. J. 5. G. R. 1. W.
2. 32	Chesnut Oak 30 in? diam.
13. 72	W. Oak 24 in? diam.
28. 00	B. Oak 22 in? diam.
40. 00	Put Quarter Sec. post a W. Oak 30 in? diam. N. 35. W. 40 links. A B. Oak 12 in? diam. S. 38. E. 25 links
55. 62	W. Oak 24 in? diam.
79. 05	Intersects N. & S. line 22 links S. of Post. Put post corner of Secs 19. 20. 29. 30. J. 5. G. R. 1. W. An Elm 14 in? diam. bears N. 10. E. 34 links. A W. Oak 16 in? diam. bears S. 82. W. 24 links This mile poor Oak hills.
East	Between Secs 20. & 29. J. 5. G. R. 1. W. 2 nd Mer.
1. 45	Chesnut Oak 14 in? diam.
15. 04	B. Oak 16 in? diam.
34. 76	B. Oak 18 in? diam.
40. 00	W. Oak 28 in? diam. for Quarter Sec. corner in poor Oak hills
50. 35	W. Oak 16 in? diam.
79. 50	Intersects N. & S. line 10 links S. of Post. Put corner of Secs 20. 21. 28. 29. J. 5. G. R. 1. W. A W. Oak 16 in? diam. N. 63. W. 11 links A W. Oak 12 in? diam. S. 40. E. 23 links This mile poor shrub Oak hills stoney soil.

T. No 5. S. R. No 1. W. 2nd. Mer.

East	Between Secs 24. & 28. T. 5 S. R. 1. W.
4. 36	C. Oak 12 in? diam?
35. 20	W. Oak 30 in? diam?
40. 00	Put Quarter Sec post & W. Oak 24 in? diam? S. 69. W. 17. links. & Gum 12 in? diam? N. 52. E. 28 lks
42. 35	B. Oak 15 in? diam?
57. 02	B. Oak 16 in? diam?
80. 00	Put Temporary post. This mile first part poor grassy hills. better towards E. Timber - W. Oak.
East	Between Secs 16. & 21. T. 5. S. R. 1. W. 2 nd Mer.
18. 40	W. Oak 24 in? diam?
32. 00	Cil Creek 150 links wide course. S. 30. E.
40. 00	Quarter Sec. Corner & W. Oak 16 in? diam? bears at 57. W. 38 links. & W. Oak 15 in? diam? bears at 82. E. 54. lks
52. 00	Beech 24 in? diam? on ledge of Rocks.
63. 37	W. Oak 16 in? diam?
80. 00	Put Temporary post. This mile gently uneven. good soil timber - W. Oak Sugar tree Ash, Poplar & Beech & Dogwood woods - open & handsome.
East	Between Secs 9. & 16. T. 5. S. R. 1. W. 2 nd Mer.
6. 00	W. Oak 18 in? diam?
13. 00	Brook 6 links wide course S.
26. 15	W. Oak 16 in? diam?
33. 65	W. Oak 28 in? diam?
40. 00	Put Quarter Sec. corner & Sugar 14 in? diam? N. 25. W. 44 links. & Hickory 5 in? diam? bears S. 3. E. 26. lks.
51. 08	B. Oak 16 in? diam?
62. 92	W. Oak 16 in? diam?
71. 60	B. Oak 18 in? diam?
80. 00	Put temporary post. This mile thin soil. Timber - B. & some W. Oak. Soil stony Dogwood & Brush.
East	Between Secs 7. & 9. T. 5. S. R. 1. W.
5. 45	Poplar 30 in? diam?

17. 00 Brook 12 links wide. Course S. W.
 27. 12 Poplar 30 in. diam.
 40. 00 Put Quarter Sec post a Sugar tree 16 in. diam. bears
 N. 1. E. 35 links. a W. Oak 20 in. diam. bears S. N. E. 19. 1/2
 50. 18 W. Oak 30 in. diam.
 62. 70 B. Oak 16 in. diam.
 80. 68 Intersects N. & S. line 120 links S. of temporary post.
 Put Corner to Sec. 3. 4. 9. 10. J. S. J. R. 1. W. & B. Oak
 26 in. diam. N. 58. W. 20 links. a W. Oak 14 in. diam.
 bears S. 13. W. 13 links. This mile poor stoney hills.
 last part - good Oak timbered land.

East Between Sec. 3. & 10. J. S. J. R. 1. W.
 6. 66 a W. Oak 18 in. diam.
 40. 00 Put Quarter Sec. post a Birch 15 in. diam. bears S.
 23. W. 16 links. a B. Oak 20 in. diam. N. 37. E. 34 links
 over good land. level.
 44 88 Hickory 30 in. diam.
 63. 10 W Oak 30 in. diam.
 78. 16 W. Oak 18 in. diam.
 79. 36 Intersects N. & S. line 170 link S. of Temporary post
 Put Corner to Sec. 2. 3. 10. 11. J. S. J. R. 1. W. & W.
 Oak 14 in. diam. bears S. 48. E. 4 links a W. Oak 24
 in. diam. bears N. 16. E. 42 links. last half poor stoney
 hill. - The whole mile mostly Oak timber.

East Between Sec. 2. & 11. J. S. J. R. 1. W. 2nd Mer.
 4. 32 W Oak 14 in. diam.
 40. 00 Put Qr. Sec post a Birch 24 in. diam. bears S. 5. a
 Birch 12 in. diam. bears N. 32 W. 35 links.
 52. 35 Birch 18 in. diam.
 55. 00 Creek .50 links wide Course S. still water
 72. 85 W. Oak 16 in. diam.
 80. 59 Intersects N. & S. line 200 links S. of Temporary post.
 Put post Corner to Sec. 1. & 2. 11. 12. J. S. J. R. 1. W.
 a W. Oak 12 in. diam. bears N. 55. W. 6 links. a Birch 9 in.

J. No 5. J. R. No 1. W. 2nd Mer.

	diam ^r . bears G. 67. E. 22 links. This mile Beech & some Oak timber Stony hills. Dogwood & Beech.
East	Between Sec ^s 1. & 12. T. 5. S. R. 1. W.
00. 20	Brook 8 links wide Course G. W.
5. 20	Poplar 40 in ^r diam ^r .
24. 52	W. Walnut 30 in ^r diam ^r .
40. 00	Put Quarter Sec Corner a W. Oak 12 in ^r diam ^r . N. 30. W. 16. links a W. Oak 16 in ^r diam ^r . bears G. 35. E. 36. links
43. 40	W. Oak 12 in ^r diam ^r .
46. 25	High ledge of Rocks. on river hill. leave the line till I understand the River. to continue it out over poor Stony hills
53. 18	Bank of the Ohio put Corner Sec ^s 1. & 12. T. 5. S. R. 1. W. A B. Oak 16 in ^r diam ^r . bears S. 22. E. 13 links. a Beech 10 in ^r diam ^r . bears N. 48. W. 11. links middling soil-Oak timber
South	Between Sec ^s 11. & 12. T. 5. S. R. 1. W.
1. 25	Brook 8 links wide Course G. W.
2. 86	Beech 12 in ^r diam ^r .
34. 30	W. Oak 12 in ^r diam ^r .
40. 00	Put Quarter Sec post a Beech 14 in ^r diam ^r . bears N. 34. W. 27. links a Beech 14 in ^r diam ^r . G. 54. E. 10. links
44. 65	W. Ash 18 in ^r diam ^r .
60. 16	W. Ash 12 in ^r diam ^r .
65. 25	Brook 15 links wide Course G. 70. W.
72. 36	B. Oak 18 in ^r diam ^r .
80. 00	Put Temporary post. This mile hilly. & Stony-Timber Beech. Oak & Sugar tree.
South	Between Sec ^s 10. & 11. T. 5. S. R. 1. W.
5. 88	W. Oak 16 in ^r diam ^r .
33. 85	W. Oak 24 in ^r diam ^r .
40. 00	Put Quarter Sec post. a C. Oak 20. in ^r diam ^r . N. 35. W. 12 links a W. Oak 24 in ^r diam ^r . bears G. 34. E. 13 links
49. 74	Poplar 28 in ^r diam ^r .

65 78 W Oak 18 in? diam?
 70. 48 B. Oak 14 in? diam?
 81. 00 Put Temporary post this mile from Stony Oak
 timbered hills. some Poplar Logwood &c.

South Between Secs 9. & 10. T. 5. G. No. 1. W.
 12 48 W. Oak 24 in? diam?
 18. 44 B. Oak 30 in? diam?
 29. 30 Poplar 30 in? diam?
 40. 00 Put Quarter Sec. post. a W. Oak 12 in? diam? bears
 S 32. E. 9. links a W. Oak 9 in? diam? N. 86. W. 15 links
 73. 68 W. Oak 12 in? diam?
 79. 63 Intersects E. & W. line 61. links E. of temporary post
 Put Post Corner to Secs 9. 10. 15. 16. T. 5. G. No. 1. W.
 a W. Oak 14 in? diam? bears S. 68. W. 11. links a W. Oak
 14 in? diam? bears S. 49. E. 28 links. This mile first
 quarter level ridge. Oak timber. remainder poor Stony ridge
 Logwood undergrowth.

South Between Secs 15. & 16. T. 5. G. No. 1. W.
 01. 43 W. Oak 18 in? diam?
 22. 80 W. Oak 12 in? diam?
 25. 00 Brook 8 links wide Course S. E.
 32. 34 W. Oak 16 in? diam?
 40. 00 Quarter Sec. Post a W. Oak 15 in? diam? bears S. 18. W. 43.
 links a W. Oak 15 in? diam? bears S. 88. E. 18. links.
 52. 95 W. Oak 12 in? diam?
 64. 25 Poplar 24 in? diam?
 65. 50 Brook 6 links wide Course S. E.
 78. 05 W. Oak 14 in? diam?
 80. 80 Intersects E. & W. line 37 links E. of temporary post. Put
 Corner of Secs 15. 16. 21. 22. T. 5. G. No. 1. W. a Sugar
 tree 18 in? diam? bears S. 11. W. 22. links a W. Oak 22 in?
 diam? bears S. 44. E. 43. links This mile level. thin
 soil. Timber mostly Oak. some Birch & Poplar. much
 Stone. Logwood &c.

J. No 5 S. R. No 1. W. 2nd Mer.

East	Between Sec. 15. & 22. J. 5. G. R. 1. W.
6. 25	Gum 16 in? diam?
12. 68	Brook 20 links wide Course G. Sept. 14 th . 1825.
33. 11	W. Oak 18 in? diam?
40. 00	Quarter Sec post. on Elm 24 in? diam? bears G 38. N. 37. links. to Sugar 14 in? diam? bears N. 17. E. 23. links
41. 90	Poplar 24 in? diam?
52. 30.	W. Oak 15 in? diam?
57. 66	Birch 16 in? diam?
66. 96	Birch 16 in? diam?
80. 00	Put temporary post. This mile first 60 chains stony ridge. Timber Oak & Birch. last 30 beech timbered bottom some Poplar &c.

East	Between Sec. 16. & 15. J. 5. G. R. 1. W.
6. 15	W. Oak 16 in? diam?
22. 52	W. Oak 26 in? diam?
30. 50	Drain. Course G.
30. 95	W. Oak 20 in? diam?
40. 00	Put Quarter Sec post. a W. Oak 16 in? diam? bears G. 44. N. 43 links. a W. Oak 18 in? diam? bears N. 77. E. 48. links.
72. 58	W. Oak 20 in? diam?
69. 74	Hickory. 12. in? diam?
74. 00	Intersects N. & G. line 10 links N. of Temporary post. Put post corner to Sec. 16. N. 14. 15. J. 5. G. R. 1. W. a W. Oak 24 in? diam? bears G. 25. N. 27 links. a B. Oak 14 in? diam? bears N. 52. E. 25 links. This mile poor stony timber. Shrub Oak & Logwood Oak & Hickory brush

South	Between Sec. 14. & 15. J. 5. G. R. 1. W. 2 nd Mer.
13. 75	W. Oak 12 in? diam?
35. 28	W. Oak 16 in? diam?
40. 00	Put Quarter Sec post a Hickory 15 in? diam? bears N. 72. N. 15. links a W. Oak 10 in? diam? G. 75. E. 25 links
45. 48	W. Oak 24 in? diam?
63. 75	Birch 24 in? diam?

80. 88 Intersects E. & W. line 70 links W. of Temporary post
Put corner of Sec? 14. 15. 22. 23. T. 5. S. R. 1. W.
A Gum 20 in? diam? bears S 34 E. 33 links A Birch
12 in? diam? bears S 81. W. 26. links. This mile generally
flat. first part. timber Oak & Hickory. last part mostly
Birch. Soil pretty good.

East
11. 26 Between Sec? 14. & 23. T. 5. S. R. 1. W. 2nd Mer.
Brook 8 links wide Course S.
20. 46 Birch 12 in? diam?
27. 25 Creek 50 links wide Course S.
40. 60 Put Quarter Sec post. A Birch 12 in? diam? bears S 19.
E. 12. link A W. Oak 16 in? diam? bears N. 42. E 15 links
48. 48 Birch 20 in? diam?
66. 08 B. Oak 16. in? diam?
71. 56 Gum 18 in? diam?
80. Put Temporary post. This mile first half Birch bottom
thin soil. over an Oak timbered ridge to Oak Hickory &
Birch flat. Sugarwood. Ironwood & Birch undergrowth Soil middling

East
16. 25 Between Sec? 11. & 14. T. 5. S. R. 1. W. 2nd Mer.
B. Oak 16 in? diam?
25. 60 W. Oak 28 in? diam?
40. 00 Put Quarter Sec. post A Birch 15 in? diam? bears N. 48.
E. 17. links A Birch 14 in? diam? bears S. 6. W. 23. links
50. 03 B Oak 14 in? diam?
60. 86 Birch 14 in? diam?
65. 25 Creek 50 links wide Course S. 30. W.
74. 54 W Oak 24 in? diam?
80. 05 Intersects N. & S. line 19. N. of post. Put post corner
of Sec? 11. 12. 13. 14. T. 5. S. R. 1. W. A Sugar 16. in?
diam? bears N. 82. E. 21 links A Sugar 10 in? diam? S 79. W. 22.
links. This mile first half points of hills S. - poor Stony Oak
then 30 chains bottom middling rest. hill middling land.

East Between Sec? 12. & 13. T. 5 S R. 1. W. 2nd Mer

T No 5. S. R. No 1. W. 2nd. Mer.

2. 38 W. Oak 12 in? diam?
 12. 76 W. Oak 14 in? diam?
 27. 44 Sugar 16 in? diam?
 39. 50 W. Walnut 18 in? diam?
 46. 00 Put Quarter Sec post a Beech 16 in? diam? bears
 N. 39. E. 10. links. A Beech 15 in? diam? bears S. 22. E. 33
 67. 98 W. Oak 16 in? diam?
 76. 15 B. Oak 20 in? diam?
 80. 00 Put Quarter Sec post. Corner Secs 12. & 13. T. 5. S.
 R. 1. W. & Corner of Secs 7. & 18. T. 5. S. R. 1 E. A Beech
 10 in? diam? bears S. 26. West 28 links a Gum 14 in?
 diam? bears N. 4 W. 10 links. This mile first three
 quarters stoney ridges last quarter level high good
 land. Timber Poplar. large B. Oak.

- East Between Secs 7. & 18. T. 5. S. R. 1. ~~N. E.~~
 30. 75 Hickory 30 in? diam?
 40. 00 Quarter Sec. Corner. a B. Oak 20 in? diam? bears S. 61.
 E. 11 links. A Beech 10 in? diam? bears N. 11. W. 23
 51. 05 Poplar 24 in? diam?
 71. 00 To River bottom
 77. 16 W. Oak 18 in? diam?
 80. 00 Put Temporary post. This mile good land drains
 gently E. Timber - Oak, Beech, Poplar Sugar. &c.

- South Between Secs 13. & 14. T. 5. S. R. 1. W.
 15. 00 Creek 50 links wide course S. E.
 19. 62 W. Oak 16 in? diam?
 26. 32 Mulberry 12 in? diam?
 40. 00 Put Quarter Sec Corner a Beech 12 in? diam? bears
 N. 69. W. 22 links. Elm 12 in? diam? N. 80. E. 7. links
 44. 40 Beech 20 in? diam?
 50. 25 Hickory 24 in? diam?
 67. 75 Creek 50 links wide course W. dead water.
 66. 41 Beech 14 in? diam?
 80. 42 Intersects E. & W. line 36 links E. of Temporary post.

Put corner to Sec? 13. 14. 23. 24. T. 5. S. R. 1. M.
A Birch 8 in? diam^r bears N. 15 links. Sugar 8 in?
diam^r bears S. 6. E. 13. links. this mile most by Creek
Bottom. Timber Birch, Hickory, Oak, Elm, thin Soil
Sept. 15th. 18. 65

South Between Sec? 23. & 24. T. 5. S. R. 1. M. 2nd Mer.
9. 20 A M. Oak 12 in? diam^r
34. 70 A M. Oak 16 in? diam^r
40. 00 Put Quarter Sec. post from which a M-Oak 18 in? diam^r
bears N. 75. W. 39. links A M. Oak 18 in? diam^r S. 36. E. 35 links
55. 00 Run 8 links wide Course E.
46. 78 A M. Oak 24 in? diam^r
50 00 Put post. and Birch timber middling Soil.

South Between Sec? 22. & 23. T. 5. S. R. 1. M.
14. 22 Birch 20 in? diam^r
28. 00 Creek 30 links wide Course W.
40. 00 Put Quarter Sec. post from which a Birch 18 in? diam^r
bears N. 62. 1/2 W. 48 links. Birch 14 in? diam^r bears S. 25. E. 26.
48. 00 Creek 30 links wide Course S. 6. E.
54. 00 Creek 30 links wide Course S. 20. W.
80. 00 Put Temporary post this mile level land Timber. Birch
& some Hickory &c middling Soil.

South Between Sec? 21. & 22. T. 5. S. R. 1. M.
7. 28 Birch 18 in? diam^r
34. 90 Birch 14 in? diam^r
40. 00 Put Quarter Sec. post from which a Birch 20 in? diam^r
bears S. 28. E. 16. links. Do 10 in? diam^r bears N. 25. W. 14 links
53. 00 Creek 150 links wide Course N. 80. E.
56 55 Elm 20 in? diam^r
77. 45 Fell 1. 32 links E of Temporary post Put post Corner of
Sec? 21. 22. 27. 28. T. 5. S. R. 1. M. from which a
Birch 14 in? diam^r bears N. 38 1/2 W. 31 links. Do 12 in? diam^r
bears S. 28. E. 28 links. This mile level upland

T. No 5. S. Co. No. 1. W. 2nd. Mer.

midling Soil - Timber - Birch - some Poplar. &c.

East	Between Secs 22. & 27. T. 5. S. Co. 1. W.
5. 06	A W. Oak 12 in? diam?
31. 50	Creek 150 links wide Course S.
40. 00	Put Quarter Sec post from which a Hickory 26 in? diam? bears N. 57. W. 37 links. An Elm 30 in? diam? bears S. 50. E. 8. links.
42. 50	Creek 50 links wide Course N. E.
51. 00	Same Creek Course S. W.
62. 00	Same Creek Course N. E.
67. 00	W. Oak 30 in? diam?
68. 00	Same Creek Course S. W.
79. 60	Set 95 links N. of Temporary post Put post Corner of Secs 22. 23. 26. 27. T. 5. S. Co. 1. W. From which a Birch 26 in? diam? bears S. 37 1/2 W. 56. links. Do 14 in? diam? bears N. 72 1/2 E. 36. links This mile level - Timber - Birch. Hickory. W. Oak. midling Soil.
East	Between Secs 23. & 26 T. 5. S. Co. 1. W. 2 nd Mer.
26. 75	Birch 30 in? diam?
37. 56	Birch 18 in? diam?
40. 00	Put Quarter Sec post from which a Sycamore 12 in? diam? bears N. 31. E. 46 links & Great Gum 18 in? diam? bears S. 42 1/2 W. 45 links
57. 50	An Elm 18 in? diam?
79. 60	Intersects N. & S. Line 20 links N. of Temporary post Put Corner Secs 23. 24. 25. 26. T. 5. S. Co. 1. W. A Birch 16 in? diam? bears S. 72. W. 20 links. A Birch 18 in? diam? bears N. 81. E. 37 links. This mile level Birch Timbered land. good Soil wood open & very level.
East	Between Secs 24. & 25, T. 5. S. Co. 1. W.
13. 00	Run 8 links wide Course N.
25. 68	Poplar 30 in? diam?
28. 85	Run 8 links wide Course N.

I. No 5 I. No 1. No 2nd Mer.

- 40 17 Put Quarter Sec post & Birch 14 in^d diam^r. bears N. 86. E
34. links Do 10 in^d I. 30. W. 4 links.
- 70 58 Hickory 30 in^d diam^r
80. 01 Put Temporary post this mile good soil. Timber Birch

- East Between Secs. 13. & 24 I. 5 I. No 1. No 2nd Mer.
0. 25 A W. Oak 18 in^d diam^r.
7. 45 A W. Oak 27 in^d diam^r.
28. 90 W. Oak 8 in^d diam^r.
- 34 00 Run 10 links wide Course N. E.
40. 00 Put Quarter Sec. post. A Birch 12 in^d diam^r. bears I. 70
E. 26. links. Do. 8 in^d diam^r. bears N. 50. W. 15 links
50. 00 A W. Oak 18 in^d diam^r.
80. 00 Put Temporary post. This mile middling soil. Timber
W. & B. Oak Birch &c. &c

- South Between Secs. 25 & 26. I. 5. I. No 1. No 2nd Mer.
- 19 40 Birch 18 in^d diam^r.
40. 00 Put Quarter Sec post where a Birch 10 in^d diam^r. bears
N. 10. W. 31. links. A W. Oak 16 in^d diam^r. bears S. 12. E. 28. links
43. 15 Poplar 30 in^d diam^r.
- 56 78 W. Oak 30 in^d diam^r.
70. 35 Put Post on Bank of the Ohio where a Birch 12 in^d diam^r.
bears I. 66. E. 23. links. Sugar tree 12 in^d diam^r. bears N. 76.
W. 32. links. This distance good bottom land Timber Birch
Sugar tree Poplar Cane &c.

- South Between Secs. 26 & 27. I. 5 I. No 1. No 2nd Mer.
8. 86 Birch 20 in^d diam^r.
15. 50 Run 4 links wide Course W.
26. 30 Birch 18 in^d diam^r.
- 40 00 Put Quarter Sec post. where a Birch 12 in^d diam^r. bears
I. 47. E. 18 links. Birch 30 in^d diam^r. bears. N. 76. W. 62. links
69. 07 Put Post on Bank of the Ohio River. Where a Lycamore 70
in^d diam^r. bears I. 38. E. 14. links. Hiccup ash 8 in^d diam^r.
bears N. 33. W. 4 links. This distance rich land. Timber

T. No 5 G. Re No 1 M. 2nd Mer.

	Beech Sugar tree Poplar Ash &c.
South	Between Sec. 27. & 28. T. 5. G. Re. 1. M.
6 . 00	Run 12 links wide Course E.
9. 44	Beech 30 in? diam?
19. 00	Sugar tree 15 in? diam?
30. 50	Run 16 links wide Course W
40. 00	Put Quarter Sec. post Beech 30 in? diam? bears N. 28. W. 28 links. & Beech 14 in? diam? bears S. 29. E 54 links.
65. 20	Poplar 50 in? diam?
50. 00	Put Temporary post This mile good land. Timber Beech Poplar Sugar tree &c.
South	Between Sec. 28. & 29. T. 5. G. Re. 1. M.
18. 55	W. Oak 20 in? diam?
33. 75	Run 12 links wide Course E.
40. 00	Put Quarter Sec post where a W. Oak 18 in? diam? bears N. 72 E 25 links. Ironwood 8 in? diam? S. 73. W. 30 links.
71. 64	W. Oak 18 in? diam?
50. 00	Put Temporary post. This mile stoney land - poor Soil.
South	Between Sec. 29. & 30. T. 5. G. Re. 1. M.
40. 00	Put Temporary Quarter Sec post where a W. Oak 14 in? diam? bears S. 55. W. 23 links. Do 8 in? diam? bears S. 84. E. 25 links.
50. 00	Put Temporary post. This mile poor W. Oak ridges.
East	Between Sec. 30. & 31. T. 5. G. Re. 1. M.
5 . 00	Run 10 links wide Course S
13. 18	W. Oak 18 in? diam?
40. 00	Put Quarter Sec post where a W. Oak 12 in? diam? bears N. 18. W. 36 links Do 8 in? diam? bears S. 21. W. 31 links.
43. 05	a W. Oak 30 in? diam?
61. 25	Run 6 links wide Course N. W.
67. 94	W Oak 18 in? diam?
79. 00	Intersects N. & S. Line 24 links S. of Temporary post corner of Sec. 29. 30. 31. 32. T. 5. G. Re. 1. M.

T. No 5. G. R. No 1. W 2nd Mer.

	where a W. Oak 14 in ² diam ^r bears G. 57. E. 25. links a B. Oak 10 in ² diam ^r G. 82. N. 26. links - poor soil. W. Oak timber
East	Between Sec ^s 29. & 32. T. 5. G. R. No 1. M.
37. 82	W Oak 46 in ² diam ^r
40. 00	Put Quarter Sec. post. a W. Oak 8 in ² diam ^r bears N. 10. E. 38. links Do 8 in ² diam ^r bears G. 87. N. 24 links.
45. 80	a B. Oak 20 in ² diam ^r
79. 00	Intersects N. & G. line 22 links G. of Temporary post. Put Post Corner of Sec ^s 28-29-22. 23. T. 5 G. R. No 1. M. where a W Oak 18 in ² diam ^r bears N. M. W 22. links. a W. Oak 14 in ² diam ^r bears. G. 24 links. This mile hilly poor soil Timber W. & B. Oak. Stony &c.
East	Between Sec ^s 28. & 33. T. 5. G. R. No 1. M.
23. 02	B. Oak 30 in ² diam ^r
46. 00	Put Quarter Sec ^s Post where Gum 10 in ² diam ^r bears N. 34 E 14 links. an Elm 8 in ² diam ^r bears S. 27. N. 28 links.
54. 00	Creek 100 links wide Course. G.
66 08	Birch 18 in ² diam ^r
80. 50	Intersects N. & G. line. 66 links G. of post. Put Corner of Sec ^s 27. 28. 33. 34. T. 5 G. R. No 1. M. an Elm 18 in ² diam ^r bears N. 62. M. 8 links. a W. Oak 30 in ² diam ^r bears G. 25. E. 33. links - poor hills & Birch bottom.
East	Between Sec ^s 27. & 34. T. 5 G. R. No 1. M.
5. 00	Bank of Ohio. Corner to Sec ^s 27. & 34. T. 5 G. R. No 1. M. A Hop bush 12 in ² diam ^r N. 11. M. 3 links. a Maple 18 in ² diam ^r bears G. 49. E. 21 links.
South	Between Sec ^s 33. & 34 T. 5 G. R. No 1. M.
2. 50	Bank of ^{Ohio} Corner to Sec ^s 33. & 34 T. 5. G. R. No 1. M. an Elm 16 in ² diam ^r bears. N. 48. E. 32 links. Maple 14. in ² diam ^r bears G. 66. M. 38. links
South	Between Sec ^s 32 & 33. T. 5 G. R. No 1. M.

T. 5 S. R. 1. W. 2nd Mer.

35 28	W. Ash 18 in. diam.
40. 06	Put Quarter Sec post where a Birch 10 in. diam. bears N. 32. E 45 links an Elm 8 in. diam. N. 88. W. 32 links
53 00	Run 8 links wide Course G. 10 E.
70. 00	Run 20 links wide Course E.
75 75	N. Oak 10 in. diam.
80. 00	Put Temporary post This mile midling soil W. & B. Oak timber

South	Between Sec. 31. & 32. T. 5 S. R. 1. W.
40. 00	Put Quarter Sec post where a W. Oak 14 in. diam. bears N. 9. E. 32 links to Hickory 10 in. diam. bears G. 32 E 50. links
44. 14	B. Oak 26 in. diam.
80. 00	Put Temporary post This mile, poplar, W. & B. Oak ridges.

Meanders of the Ohio in Township No 5 Range No 1.

Commenced at the S. W. corner of Township No 7. S. Range 1.
West where the W. Range line intersects the River Northwardly

Course	Dist.	Remarks.
North	9. 80	
N. 19. E	0. 50	
N. 23. E	15. 88	
N. 12. E	22. 58	
N. 27. E	0. 94	
N. 65. E	6. 12	150. Old Creek.
N. 47. E	8. 10	
N. 53. E	10. 40	
N. 62. E	6. 58	
N. 72. E	5. 98	corner of Sec. 33. 34. T. 5 S. R. 1. W.
N. 62. E	5. 60	corner of Sec. 27. 34. T. 5 S. R. 1. W.
N. 66. E	4. 47	
N. 73. E	13. 12	
N. 78. E	10. 50	
N. 79. E	8. 44	

Meanders of the Ohio in Township No 5 Range No 1 W

Course	Dist.	Remarks
N. 83. E	13. 50	
N. 87. E	10. 24	
East	12. 60	Corner of Secs 26. & 27. T. 5. R. 1. W.
S. 89. E	18. 26	
N. 89. E	16. 00	
S. 83. E	5. 08	
S. 89. E	4. 77	
N. 89. E	4. 22	Point Island
S. 89. E	18. 20	
S. 86. E	13. 24	Corner of Secs 25 & 26. T. 5 R. 1. W.
East	17. 96	
N. 84. E	22. 86	
N. 77. E	24. 08	
N. 73. E	15. 00	Line of Range N. 1. W. & 1. E.
N. 45. W	12. 95	Commence on the E. side of Sec 12. T. 5 R. 1. W.
N. 31. W	26. 75	
N. 25. W	8. 50	Corner of Secs 1. & 12. T. 5 R. 1. W.
N. 26. W	7. 30	
N. 9. W	7. 74	
N. 16. W	32. 67	
N. 6. E	8. 83	
N. 6. E	19. 74	
N. 27. E	5. 34	150 links to Run
N. 35. E	5. 30	Tractors Base line. Last three miles mostly barren. remainder generally Birch bottom.

I certify that the foregoing transcript of the field notes
of Township No 5 South of Range No 1 West 2nd
Mer, Indiana, has been compared with the Orig-
inal notes in this Office, and found to be correct:
Surveyor General's Office
Cincinnati, Aug. 14 1839

E. S. Rainey
Lin. Genl.